



DORMA

gral glass shower systems and hinges

Glass Shower System BO 300

The full glass shower system BO 300 offers a wide range of swinging or folding door models.

Side panels and doors with overlapping glassglass joints keep water from spraying out without any additional seals and at the same time allow for adjustment over a wide range during installations. Slim fittings increase the effect of transparency.

BO 300


curved hinge



Fitting

Brass or zinc die-casting for galvanized, powder coated or anodised surface finishes.

Type 130









BO 315, Type 130







Type 120

Type 131



Type 110





Type 130





Type 200



Type 200u

Type 220u

Type 231u

Type 265



Туре 220

Type 230





Type 230u



Type 231

Туре 250











Type 260u






Glass Shower System BO 315

Elegance meets functionality. The BO 315 system's highlight is the countersunk fitting, allowing the shower doors to be operated without additional hardware within the shower.

Countersunk fittings also make this system easy to clean due to the smooth finish between the fitting and the inner surface of the glass.







BO 415

BO 415, Type 260u



Туре 100

Туре 130

Type 200

Type 220

Type 230



Type 120





Type 131





Type 220u

Type 200u





Type 230u



Type 231

Type 250

Type 260u



Type 231u




Type 255





Type 265



The BO 415 system uses a rectangular shaped hinge with a countersunk fixing to give a smooth finish between the fitting and the inner surface of the glass. This minimises the hardware within the shower and allows for easy cleaning.





BH 200



BH 200 Type 255u

Glass Shower System BH 200

The BH 200 system is distinguished by it's rising mechanism and uncompromising full glass look. The BH 200 fittings lift the doors a few millimetres when opened making them ideal for installations without a shower tray.

Fitting brass, chrome-plated.



Type 100

Type 130

Type 200u



Type 110



Type 131



Type 220u



Type 231u



Type 233u

Type 250u



Type 255u

Type 260u

Type 265u

BH 200 Type 265u RADIUS 500 & 550 mm







C

Glass Shower System SO 730

The sliding door system does not require floor profiles, therefore eliminating a potential dirt trap. The overlapping of door and fixed glass leaf increases the overall

impression without the need for sealing profiles. The design of the sliding door mechanism, protects it against spraying water giving it a longer life.

Fitting The doors are guided and held in place by two slide units.





Туре 300



Туре 320



Type 321



Type 330



Type 331



Type 375





Туре 380

SO 730 Type 300



8



SO 730 Type 320



BO 305 BO 410

Glass Shower Hinge BO 305

The BO 305 hinge series has a free swing mechanism and variants for glass to wall, flush glass to glass and overlapping glass door solutions.

For fixed panels of 8mm glass and door panels of 6mm glass thickness.



Glass Shower Hinge BO 410

The BO 410 hinge series has a free swing mechanism and variants for glass to wall, flush glass to glass and overlapping glass door solutions.

For panels of either 6mm or 8mm glass thickness.



Contents Shower Systems

Shower Systems									
BO 300 system Page 02 / 03		BD 315 System Page 04		BO 415 Ngtem Page 05		BH 200 Page 06 / 07		SO 730 system Page 08 / 09	
Type 100	Type 130	Type 100	Type 110	Type 100	Type 120	Type 100	Type 110	Type 300	Type 320
Type 131	Type 200u	Type 120	Type 130	Type 130	Type 131	Type 130	Type 131	Type 321	Type 330
Type 220u	Type 230u	Type 131	Type 200	Type 200	Type 200u	Type 200u	Type 220u	Type 331	Type 375
Type 231u	Type 250u	Type 200u	Type 220	Type 220	Type 220u	Type 230u	Type 231u	Type 380	
Type 260u	Type 400u	Type 220u	Type 230	Type 230	Type 230u	Type 233u	Type 250u		
Type 430u	Type 431u	Type 230u	Type 231	Type 231	Type 231u	Type 252u	Type 255u		
		Type 231u	Type 250	Type 250	Type 255	Type 260u	Type 265u		
		Type 255	Type 260u	Type 260u	Type 265				
		Type 265							

Hinges



BO 305 hinge Page 10




BO 410 hinge Page 10

11

gral





gral

A DORMA Group Company

DORMA UK Limited

Glass Division Wilbury Way Hitchin Hertfordshire SG4 0AB

 Tel:
 01462 477600

 Fax:
 01462 477601

 Email:
 glass@dorma-uk.co.uk

DORMA Ireland Limited Sandyford Office Park Foxrock Dublin 18

 Tel:
 01 295 8280

 Fax:
 01 295 8284

 Email:
 dormadublin@dorma.com

www.dorma-uk.co.uk