




SISO GLASS

fittings



- high quality furniture fittings






- high quality furniture fittings

SISO A/S
MILEPARKEN 11
DK - 2740 SKOVLUNDE
(COPENHAGEN)
DENMARK
PHONE: (+45) 45 830 900
FAX: (+45) 45 830 444

DISTRIBUTOR



SHOWER SUPPORT BAR SOLID BRASS - GLASS TO GLASS



Application

Suitable for connecting glass to wall.
No glass drilling required.
Extendable from 1050 - 1350 mm
Glass thickness 8 - 10 mm

Material

Brass

1 support bar consists of:



- 1 bar $\varnothing 19 \times 1050$ to 1350 mm
- w/2 tightening screws 2,5 mm hex
- 1 L-shaped hex key 2,5 mm
- 2 glass mounting bracket 30 X 26 mm
- w/2 tightening screws 3 mm hex
- 1 L-shaped hex key 3 mm
- 4 transparent cushions 1 mm thickness

Finish


Chrome plated # 15.24.021

Packing

10 pcs per carton



SHOWER SUPPORT BAR SOLID BRASS - WALL TO GLASS



Application

Suitable for connecting glass to wall.
No glass drilling required.
Extendable from 1000 - 1150 mm.
Glass thickness 8 - 10 mm.

Material

Brass

1 support bar consists of:




- 1 bar $\varnothing 19 \times 1000$ to 1150 mm
- w/2 tightening screws 2,5 mm hex
- 1 wall mounting rosette $\varnothing 37$ mm
- w/2 tightening screws 2,5 mm hex
- 1 L-shaped hex key 2,5 mm
- 1 wall plug
- 1 wall screw
- 1 glass mounting bracket 30 X 26 mm
- w/2 tightening screws 3 mm hex
- 1 L-shaped hex key 3 mm
- 2 transparent cushions 1 mm thickness

Finish

Chrome plated # 15.24.020

Packing

10 pcs per cartoon



BAR TO GLASS BRACKET W/OPEN BAR HOLE

Application

Connection fitting for shower bars
No drilling required
For $\varnothing 19$ mm bar
Glass thickness 8 - 10 mm

Material

Brass

Finish

Chrome plated # 15.24.103

Inclusive


1 hex key 2,5 mm
1 transparent cushion 1 mm thickness

Packing

60 pcs per carton

Optional

Shower bar brass, CPL
 $\varnothing 19$ x 1000 mm # 15.24.120
 $\varnothing 19$ x 1300 mm # 15.24.121



BAR TO GLASS END BRACKET W/CLOSED BAR HOLE

Application

Connection fitting for shower bars
No drilling required
For $\varnothing 19$ mm bar
Glass thickness 8 - 10 mm

Material

Brass

Finish

Chrome plated # 15.24.102

Inclusive


1 hex key 2,5 mm
1 transparent cushion 1 mm thickness

Packing

60 pcs per carton

Optional

Shower bar brass, CPL
 $\varnothing 19$ x 1000 mm # 15.24.120
 $\varnothing 19$ x 1300 mm # 15.24.121



BAR TO WALL BRACKET W/45° ANGLE

Application

Connection fitting for shower bars
No drilling required
For $\varnothing 19$ mm bar

Material

Brass

Finish

Chrome plated # 15.24.101

Inclusive

1 hex key 2,5 mm
1 wall plug
1 wall screw

Packing



60 pcs per carton

Optional

Shower bar brass, CPL

$\varnothing 19$ x 1000 mm # 15.24.120

$\varnothing 19$ x 1300 mm # 15.24.121



BAR TO WALL BRACKET W/FLAT BACK

Application

Connection fitting for shower bars
No drilling required
For $\varnothing 19$ mm bar

Material

Brass

Finish

Chrome plated # 15.24.100

Inclusive

1 hex key 2,5 mm
1 wall plug
1 wall screw

Packing


60 pcs per carton

Optional

Shower bar brass, CPL

$\varnothing 19$ x 1000 mm # 15.24.120

$\varnothing 19$ x 1300 mm # 15.24.121



BAR TO BAR BRACKET T-SHAPED F/3 BAR CONNECTION

Application

Connection fitting for shower bars
No drilling required
For $\varnothing 19$ mm bar
90 degree connection

Material

Brass

Finish

Chrome plated # 15.24.105

Inclusive

1 hex key 2,5 mm

Packing


10 pcs per carton

Optional

Shower bar brass, CPL

$\varnothing 19$ x 1000 mm # 15.24.120

$\varnothing 19$ x 1300 mm # 15.24.121



BAR TO BAR BRACKET W/SWIVEL LINKAGE

Application

Connection fitting for shower bars
No drilling required
For $\varnothing 19$ mm bar
Adjusted to any degree

Material

Brass

Finish

Chrome plated # 15.24.104

Inclusive

1 hex key 2,5 mm

1 hex key 5 mm

Packing


20 pcs per carton

Optional

Shower bar brass, CPL

$\varnothing 19$ x 1000 mm # 15.24.120

$\varnothing 19$ x 1300 mm # 15.24.121



DOOR KNOB „HAAG“

Material

Brass

Size: $\varnothing 28$ x 31 mm

Bore hole: $\varnothing 10$ mm

Glass thickness: 6 - 12 mm

SS-look # 15.24.030

Chrome plated # 15.24.031

Alu-finish # 15.24.032

Packing

60 pairs per carton

